

Turning Inserts TNMG DM for Medium Machining



Coated Grades - CVD

YBM251

ANSI	ISO	L (Inch)	ØI.C. (Inch)	S (Inch)	Ød (Inch)	r (Inch)	Code
TNMG432DM	TNMG220408DM	0.866	0.500	0.187	0.203	0.031	575482
TNMG433DM	TNMG220412DM	0.866	0.500	0.187	0.203	0.047	575528

YBM351


ANSI	ISO	L (Inch)	ØI.C. (Inch)	S (Inch)	Ød (Inch)	r (Inch)	Code
TNMG433DM	TNMG220412DM	0.866	0.500	0.187	0.203	0.047	575532

Coated Grades - PVD

YBG202

ANSI	ISO	L (Inch)	ØI.C. (Inch)	S (Inch)	Ød (Inch)	r (Inch)	Code
TNMG331DM	TNMG160404DM	0.650	0.375	0.187	0.150	0.016	575356
TNMG332DM	TNMG160408DM	0.650	0.375	0.187	0.150	0.031	575414

To be used with holders: PTFNR/L; PTTNR/L; PTGNR/L; MTGNR/L; MTJNR/L; MTFNR/L; S_ _=PTFNR/L; S_ _-STUCR/L





EXAMPLE: MTFNR



TNMG PM for Medium Machining



NEGATIVE TRIANGULAR



TNMG-PM



Coated Grades - CVD

YBC151

ANSI	ISO	L (Inch)	ØI.C. (Inch)	S (Inch)	Ød (Inch)	r (Inch)	Code
TNMG331PM	TNMG160404PM	0.650	0.375	0.187	0.125	0.016	575360
TNMG332PM	TNMG160408PM	0.650	0.375	0.187	0.125	0.031	575422
TNMG432PM	TNMG220408PM	0.866	0.500	0.187	0.203	0.031	575488
TNMG433PM	TNMG220412PM	0.866	0.500	0.187	0.203	0.047	575534

YBC251

ANSI	ISO	L (Inch)	ØI.C. (Inch)	S (Inch)	Ød (Inch)	r (Inch)	Code
TNMG331PM	TNMG160404PM	0.650	0.375	0.187	0.125	0.016	575362
TNMG332PM	TNMG160408PM	0.650	0.375	0.187	0.125	0.031	575424
TNMG432PM	TNMG220408PM	0.866	0.500	0.187	0.203	0.031	575490
TNMG433PM	TNMG220412PM	0.866	0.500	0.187	0.203	0.047	575536

YBC351

ANSI	ISO	L (Inch)	ØI.C. (Inch)	S (Inch)	Ød (Inch)	r (Inch)	Code
TNMG331PM	TNMG160404PM	0.650	0.375	0.187	0.125	0.016	575364