

## Chucking Reamers

Micrograin Solid Carbide – Straight Shank – 4 & 6 Straight Flutes (continued)



Size	Decimal Equivalent (Inch)	Flute Length (Inch)	Overall Length (Inch)	Code	Size	Decimal Equivalent (Inch)	Flute Length (Inch)	Overall Length (Inch)	Code
13/32	0.4062	1-1/4	3-1/2	940276	0.4560	0.4560	1-3/8	4	941442
0.4070	0.4070	1-1/4	3-1/2	941342	0.4570	0.4570	1-3/8	4	941444
0.4080	0.4080	1-1/4	3-1/2	941344	0.4580	0.4580	1-3/8	4	941446
0.4090	0.4090	1-1/4	3-1/2	941346	0.4590	0.4590	1-3/8	4	941448
0.4100	0.4100	1-1/4	3-1/2	941348	0.4600	0.4600	1-3/8	4	941450
0.4110	0.4110	1-1/4	3-1/2	941350	0.4610	0.4610	1-3/8	4	941452
0.4120	0.4120	1-1/4	3-1/2	941352	0.4620	0.4620	1-3/8	4	941454
Z	0.4130	1-1/4	3-1/2	940278	0.4630	0.4630	1-3/8	4	941456
10.5 mm	0.4134	1-1/4	3-1/2	940280	0.4640	0.4640	1-3/8	4	941458
0.4140	0.4140	1-1/4	3-1/2	941354	0.4650	0.4650	1-3/8	4	941460
0.4150	0.4150	1-1/4	3-1/2	941356	0.4660	0.4660	1-3/8	4	941462
0.4160	0.4160	1-1/4	3-1/2	941358	0.4670	0.4670	1-3/8	4	941464
0.4170	0.4170	1-3/8	4	941360	0.4680	0.4680	1-3/8	4	941466
0.4180	0.4180	1-3/8	4	941362	15/32	0.4688	1-3/8	4	940292
0.4190	0.4190	1-3/8	4	941364	0.4690	0.4690	1-3/8	4	941468
0.4200	0.4200	1-3/8	4	941366	0.4700	0.4700	1-3/8	4	941470
0.4210	0.4210	1-3/8	4	941368	0.4710	0.4710	1-3/8	4	941472
27/64	0.4219	1-3/8	4	940282	0.4720	0.4720	1-3/8	4	941474
0.4230	0.4230	1-3/8	4	941370	12 mm	0.4724	1-3/8	4	940294
0.4240	0.4240	1-3/8	4	941372	0.4730	0.4730	1-3/8	4	941476
0.4250	0.4250	1-3/8	4	941374	0.4740	0.4740	1-3/8	4	941478
0.4260	0.4260	1-3/8	4	941376	0.4750	0.4750	1-3/8	4	941480
0.4270	0.4270	1-3/8	4	941378	0.4760	0.4760	1-3/8	4	941482
0.4280	0.4280	1-3/8	4	941380	0.4770	0.4770	1-3/8	4	941484
0.4290	0.4290	1-3/8	4	941382	0.4780	0.4780	1-3/8	4	941486
0.4300	0.4300	1-3/8	4	941384	0.4790	0.4790	1-1/2	4	941488
0.4310	0.4310	1-3/8	4	941386	0.4800	0.4800	1-1/2	4	941490
0.4320	0.4320	1-3/8	4	941388	0.4805	0.4805	1-1/2	4	941492
0.4330	0.4330	1-3/8	4	941390	0.4810	0.4810	1-1/2	4	941494
11 mm	0.4331	1-3/8	4	940284	0.4820	0.4820	1-1/2	4	941496
0.4340	0.4340	1-3/8	4	941392	0.4830	0.4830	1-1/2	4	941498
0.4350	0.4350	1-3/8	4	941394	0.4840	0.4840	1-1/2	4	941500
D/P	0.4355	1-3/8	4	941396	31/64	0.4844	1-1/2	4	940296
0.4360	0.4360	1-3/8	4	941398	0.4850	0.4850	1-1/2	4	941502
U/S	0.4365	1-3/8	4	941400	0.4860	0.4860	1-1/2	4	941504
D/P	0.4370	1-3/8	4	941402	0.4870	0.4870	1-1/2	4	941506
7/16	0.4375	1-3/8	4	940286	0.4880	0.4880	1-1/2	4	941508
0.4380	0.4380	1-3/8	4	941404	0.4890	0.4890	1-1/2	4	941510
O/S	0.4385	1-3/8	4	941406	0.4900	0.4900	1-1/2	4	941512
0.4390	0.4390	1-3/8	4	941408	0.4910	0.4910	1-1/2	4	941514
0.4400	0.4400	1-3/8	4	941410	12.5 mm	0.4921	1-1/2	4	940298
0.4410	0.4410	1-3/8	4	941412	0.4930	0.4930	1-1/2	4	941516
0.4420	0.4420	1-3/8	4	941414	0.4940	0.4940	1-1/2	4	941518
0.4430	0.4430	1-3/8	4	941416	0.4950	0.4950	1-1/2	4	941520
0.4440	0.4440	1-3/8	4	941418	0.4960	0.4960	1-1/2	4	941522
0.4450	0.4450	1-3/8	4	941420	0.4970	0.4970	1-1/2	4	941524
0.4460	0.4460	1-3/8	4	941422	D/P	0.4980	1-1/2	4	941526
0.4470	0.4470	1-3/8	4	941424	U/S	0.4990	1-1/2	4	941528
0.4480	0.4480	1-3/8	4	941426	D/P	0.4995	1-1/2	4	941530
0.4490	0.4490	1-3/8	4	941428	1/2	0.5000	1-1/2	4	940300
0.4500	0.4500	1-3/8	4	941430	0.5005	0.5005	1-1/2	4	940118
0.4510	0.4510	1-3/8	4	941432	O/S	0.5010	1-1/2	4	941532
0.4520	0.4520	1-3/8	4	941434	0.5015	0.5015	1-1/2	4	941534
11.5 mm	0.4528	1-3/8	4	940288	0.5020	0.5020	1-1/2	4	941536
0.4530	0.4530	1-3/8	4	941436	0.5030	0.5030	1-1/2	4	941538
29/64	0.4531	1-3/8	4	940290	0.5040	0.5040	1-1/2	4	941540
0.4540	0.4540	1-3/8	4	941438	0.5050	0.5050	1-1/2	4	941542
0.4550	0.4550	1-3/8	4	941440					