

Parabolic Drills - Stub and Jobber Length

Jobber Length - Parabolic Drills

Cobalt

Size	Decimal Equivalent	L1	L2	Code	Size	Decimal Equivalent	L1	L2	Code
1/16	0.0625	0.79	1.57	607558	19/64	0.2969	2.95	4.61	607573
5/64	0.0781	0.94	1.93	607559	5/16	0.3125	2.95	4.61	607574
3/32	0.0938	1.06	2.24	607560	21/64	0.3281	2.95	4.61	607575
7/64	0.1094	1.30	2.40	607561	11/32	0.3438	3.19	4.92	607576
1/8	0.1250	1.42	2.56	607562	23/64	0.3594	3.19	4.92	607577
9/64	0.1406	1.54	2.76	607563	3/8	0.3750	3.42	5.24	607578
5/32	0.1562	1.69	2.95	607564	25/64	0.3906	3.42	5.24	607579
11/64	0.1719	1.85	3.15	607565	13/32	0.4062	3.42	5.24	607580
3/16	0.1875	1.85	3.15	607566	27/64	0.4219	3.70	5.59	607581
13/64	0.2031	2.05	3.39	607567	7/16	0.4375	3.70	5.59	607582
7/32	0.2188	2.24	3.66	607568	29/64	0.4531	3.70	5.59	607583
15/64	0.2344	2.24	3.66	607569	15/32	0.4688	3.97	5.94	607584
1/4	0.2500	2.48	3.98	607570	31/64	0.4844	3.97	5.94	607585
17/64	0.2656	2.71	4.29	607571	1/2	0.5000	3.97	5.94	607586
9/32	0.2812	2.71	4.29	607572					

Left Hand Drills - Jobber Length

- 118° point
- For use in left hand spindle rotation on screw machines and drill heads
- May be used as screw extractor for drilling out broken studs or fasteners

Fractional Sizes - 29 Piece Left Hand Jobber Drill Set



- 29 piece set - Fractional sizes 1/16" to 1/2" by 64ths
- Sets in metal indexed storage case

No. of Pieces	Drill Point	Material	Code
29	118°	HSS	751200