


Threaded Ball Plungers



- Plungers may be ordered with or without the locking element (Without element is the same price, but is considered "special" and cannot be returned)
- It is recommended using without the locking element for applications in aluminum

Steel Ball Plungers (Stainless Ball Noses)

End Pressures Start (lbs)	End Pressures Full (lbs)	A Thread	B (Inch)	C (Inch)	D Ball Diameter (Inch)	Net Weight per 100 (lbs)	*Colour Code	Code
0.12	0.50	#4-48	3/16	0.020	0.062	1/4	Plain	718621
0.25	0.75	#5-50	1/4	0.020	0.062	1/4	Plain	718622
0.50	1.00	#6-40	5/16	0.023	0.078	1/4	Plain	718623
0.50	1.25	#8-36	11/32	0.025	0.093	1/4	Plain	718624
0.50	1.25	#8-32	11/32	0.025	0.093	1/4	Plain	718625
0.50	1.50	#10-32	33/64	0.025	0.093	1/4	Silver	718626
1.50	3.00	#10-32	33/64	0.025	0.093	1/4	Black	718627
2.00	5.00	#10-32	33/64	0.025	0.093	1/4	Gold	718628
2.00	4.00	1/4-20	17/32	0.035	0.125	1/2	Silver	718629
3.00	7.00	1/4-20	17/32	0.035	0.125	1/2	Black	718630
4.00	12.00	1/4-20	17/32	0.035	0.125	1/2	Gold	718631
2.00	4.50	5/16-18	37/64	0.040	0.156	1	Silver	718632
4.00	9.00	5/16-18	37/64	0.040	0.156	1	Black	718633
6.00	17.00	5/16-18	37/64	0.040	0.156	1	Gold	718634
2.50	5.00	3/8-16	5/8	0.048	0.187	1-1/2	Silver	718635
5.00	10.00	3/8-16	5/8	0.048	0.187	1-1/2	Black	718636
6.00	21.00	3/8-16	5/8	0.048	0.187	1-1/2	Gold	718637
3.00	6.00	1/2-13	3/4	0.072	0.281	3	Silver	718638
6.00	12.00	1/2-13	3/4	0.072	0.281	3	Black	718639
6.00	30.00	1/2-13	3/4	0.072	0.281	3	Gold	718640
4.50	9.00	5/8-11	63/64	0.096	0.375	5-1/2	Silver	718641
9.00	18.00	5/8-11	63/64	0.096	0.375	5-1/2	Black	718642
7.00	50.00	5/8-11	63/64	0.096	0.375	5-1/2	Gold	718643

* SILVER - Light pressures; BLACK - Medium pressures; GOLD - Heavy pressures

Plunger Wrenches



- These wrenches make it easy to install or remove plungers
- Prevents possible spring damage that can result when a screwdriver is used on the plunger end

For Ball and Spring Plungers

For Plungers with Threaded Sizes	Net Weight per 100 (lbs)	Code	For Plungers with Threaded Sizes	Net Weight per 100 (lbs)	Code
#6	1	718644	3/8 and M10	3	718649
#8 and M4	1	718645	1/2 and M12	5-1/2	718650
#10 and M5	1-1/2	718646	5/8	9	718651
1/4 and M6	1-1/2	718647	3/4	12-1/2	718652
5/16 and M8	3	718648		19	718653