

Slotting Saws

High Speed Steel – Jeweler’s Type – Ground Teeth & Sides (continued)

Diameter (Inch)	Width of Face (Inch)	Hole Size (Inch)	No. of Teeth	Code	Diameter (Inch)	Width of Face (Inch)	Hole Size (Inch)	No. of Teeth	Code	Diameter (Inch)	Width of Face (Inch)	Hole Size (Inch)	No. of Teeth	Code
3	0.045	1/2	168	602187	3	0.012	1/2	280	602205	5	0.040	1	280	602228
3	0.045	1	168	602188	3	0.010	1/2	280	602207	5	0.032	1/2	280	602229
3	0.040	1/2	168	602189	4	0.051	1/2	220	602211	5	0.032	1	280	602230
3	0.040	1	168	602190	4	0.045	1	220	602213	5	0.025	1/2	380	602231
3	0.032	1/2	168	602191	4	0.040	1	220	602215	5	0.025	1	380	602232
3	0.032	1	168	602192	4	0.020	1/2	310	602218	6	0.102	1	232	602233
3	0.025	1/2	230	602193	4	0.018	1/2	310	602220	6	0.091	1	232	602234
3	0.025	1	230	602194	4	0.018	1	310	602221	6	0.081	1	232	602235
3	0.023	1/2	230	602195	4	0.016	1/2	310	602222	6	0.072	1	232	602236
3	0.023	1	230	602196	4	0.016	1	310	602223	6	0.064	1	232	602237
3	0.020	1/2	230	602197	5	0.064	1	280	602224	6	0.057	1	232	602238
3	0.020	1	230	602198	5	0.057	1	280	602225	6	0.051	1/2	232	602239
3	0.018	1/2	230	602199	5	0.051	1	280	602226	6	0.051	1	232	602240
3	0.016	1/2	230	602201	5	0.045	1	280	602227	6	0.045	1	340	602241
										6	0.040	1	340	602242
										6	0.035	1	340	602243

Screw Slotting Saws

High Speed Steel – 56, 60, 72 & 90 Teeth



TOLERANCES:
 Outside diameter ±0.015"
 Hole diameter ±0.001"
 Width ±0.001"

Diameter (Inch)	Width of Face (Inch)	Hole Size (Inch)	No. of Teeth	Code	Diameter (Inch)	Width of Face (Inch)	Hole Size (Inch)	No. of Teeth	Code	Diameter (Inch)	Width of Face (Inch)	Hole Size (Inch)	No. of Teeth	Code
1-3/4	0.010	1/2	90	602244	2-1/4	0.014	5/8	60	602268	2-3/4	0.025	3/4	72	602292
1-3/4	0.013	1/2	90	602245	2-1/4	0.016	5/8	60	602269	2-3/4	0.028	3/4	72	602293
1-3/4	0.020	1/2	90	602246	2-1/4	0.018	5/8	60	602270	2-3/4	0.032	3/4	72	602294
1-3/4	0.008	5/8	90	602247	2-1/4	0.020	5/8	60	602271	2-3/4	0.036	3/4	72	602295
1-3/4	0.010	5/8	90	602248	2-1/4	0.023	5/8	60	602272	2-3/4	0.040	3/4	72	602296
1-3/4	0.012	5/8	90	602249	2-1/4	0.025	5/8	60	602273	2-3/4	0.045	3/4	72	602297
1-3/4	0.014	5/8	90	602250	2-1/4	0.028	5/8	60	602274	2-3/4	0.051	3/4	72	602298
1-3/4	0.016	5/8	90	602251	2-1/4	0.032	5/8	60	602275	2-3/4	0.057	3/4	72	602299
1-3/4	0.018	5/8	90	602252	2-1/4	0.036	5/8	60	602276	2-3/4	0.064	3/4	72	602300
1-3/4	0.020	5/8	90	602253	2-1/4	0.040	5/8	60	602277	2-3/4	0.072	3/4	72	602301
1-3/4	0.023	5/8	90	602254	2-1/4	0.045	5/8	60	602278	2-3/4	0.081	3/4	72	602302
1-3/4	0.025	5/8	90	602255	2-1/4	0.051	5/8	60	602279	2-3/4	0.091	3/4	72	602303
1-3/4	0.028	5/8	90	602256	2-1/4	0.057	5/8	60	602280	2-3/4	0.102	3/4	72	602304
1-3/4	0.032	5/8	90	602257	2-1/4	0.064	5/8	60	602281	2-3/4	0.162	3/4	72	602307
1-3/4	0.036	5/8	90	602258	2-1/4	0.072	5/8	60	602282	2-3/4	0.182	3/4	72	602308
1-3/4	0.040	5/8	90	602259	2-1/4	0.081	5/8	60	602283	2-3/4	0.010	1	72	602309
1-3/4	0.045	5/8	90	602260	2-1/4	0.091	5/8	60	602284	2-3/4	0.013	1	72	602311
1-3/4	0.051	5/8	90	602261	2-1/4	0.102	5/8	60	602285	2-3/4	0.014	1	72	602312
1-3/4	0.057	5/8	90	602262	2-3/4	0.010	3/4	72	602286	2-3/4	0.016	1	72	602313
1-3/4	0.064	5/8	90	602263	2-3/4	0.012	3/4	72	602287	2-3/4	0.018	1	72	602314
1-3/4	0.072	5/8	90	602264	2-3/4	0.016	3/4	72	602288	2-3/4	0.020	1	72	602315
2-1/4	0.008	5/8	60	602265	2-3/4	0.018	3/4	72	602289	2-3/4	0.023	1	72	602316
2-1/4	0.010	5/8	60	602266	2-3/4	0.020	3/4	72	602290	2-3/4	0.025	1	72	602317
2-1/4	0.012	5/8	60	602267	2-3/4	0.023	3/4	72	602291	2-3/4	0.028	1	72	602318