


Lathe Chucks



Semi-Steel Body - 3-Jaw Universal Self-Centering Chucks

Camlock D1 - Series 3245

Series 3245
Camlock


Chuck Diameter (Inch)	Hole Diameter (Inch)	Spindle Type	Approximate Weight (lbs)	Code
5	1.2598	D1-3	10.0	355022
5	1.2598	D1-4	10.0	355023
6	1.6535	D1-3	18.1	355024
6	1.6535	D1-4	18.1	355025
8	2.0240	D1-3	33.7	355026
8	2.1653	D1-4	33.7	355027
8	2.1653	D1-5	33.7	355028
8	2.1653	D1-6	33.7	355029
10	2.9921	D1-5	55.3	355030
10	2.9921	D1-6	55.3	355031
10	2.9921	D1-8	55.3	355032
12	4.0551	D1-6	90.4	355033
12	4.0551	D1-8	90.4	355034
12	4.0551	D1-11	90.4	355035
16	4.0551	D1-6	170.0	355036
16	5.3543	D1-8	170.0	355037
16	5.3543	D1-11	170.0	355038
20	5.3543	D1-8	275.6	355039
20	7.8776	D1-11	275.6	355040
25	7.8776	D1-11	470.7	355041

Long Taper L - Series 3255

Series 3255
Long Taper

Chuck Diameter (Inch)	Hole Diameter (Inch)	Spindle Type	Approximate Weight (lbs)	Code
6	2.2047	L00	18.1	355042
6	2.5984	L0	18.1	355043
8	2.2047	L99	33.7	355044
8	2.5984	L0	33.7	355045
8	3.3465	L1	33.7	355046
10	2.5984	L0	55.3	355047
10	3.3465	L1	55.3	355048
10	4.2913	L2	55.3	355049
12	2.5984	L0	90.4	355050
12	3.3465	L1	90.4	355051
12	4.2913	L2	90.4	355052
16	3.3465	L1	170.0	355053
16	4.2913	L2	170.0	355054

Threaded - Series 3285

Series 3285
Threaded

Chuck Diameter (Inch)	Hole Diameter (Inch)	Thread	Approximate Weight (lbs)	Code
5	1.2598	1 - 10	10.0	355055
5	1.2598	1-1/2 - 8	10.0	355056
6	1.6535	1-1/2 - 8	18.1	355057
6	1.6535	2-1/4 - 8	18.1	355058
8	2.1654	1-1/2 - 8	33.7	355059
8	2.1654	2-1/4 - 8	33.7	355060
8	2.1654	2-3/8 - 6	33.7	355061
10	2.9925	2-1/4 - 8	55.3	355062
12	4.0551	2-3/8 - 6	90.4	355063
12	4.0551	2-3/8 - 6	90.4	355064