



Rules

Steel – Semi-Flexible

- Graduations: 1/64", 1/32", 1/16", 0.5mm and 1mm
- Semi-flexible
- Stainless steel with non-glare surface
- Supplied in storage pouch



RULES & STRAIGHT EDGES

Range (Inch/mm)	Accuracy (Inch)	Length (Inch)	Width (Inch)	Thickness (Inch)	Graduation	INSIZE No.	Code
6/150	±0.006	6.693	0.709	0.039	Graduation on front and back	7110-150	283596
8/200	±0.006	8.661	0.709	0.039	Graduation on front and back	7110-200	283597
12/300	±0.006	12.992	0.984	0.039	Graduation on front and back	7110-300	283598
12/300	±0.006	12.795	1.181	0.039	Graduation on front and back	7110-3001	816384
20/500	±0.006	20.866	1.181	0.047	Graduation on front and back	7110-500	283599
24/600	±0.008	24.803	1.181	0.047	Graduation on front and back	7110-600	283600
40/1000	±0.008	40.945	1.260	0.059	Graduation on front and back	7110-1000	283601
48/1200	±0.009	48.819	1.378	0.071	Graduation on front	7110-1200	283603
60/1500	±0.010	61.024	1.496	0.071	Graduation on front	7110-1500	283604
80/2000	±0.012	81.299	1.575	0.079	Graduation on front	7110-2000	283605

Rules

Rigid

- Groove on back suitable for combination square sets (INSIZE series 2278)
- Satin chrome plated
- Supplied in storage pouch



Groove on back

Range (Inch/mm)	Accuracy (Inch)	Length (Inch/mm)	Width (Inch)	Thickness (Inch)	Groove (Inch)	Graduation	INSIZE No.	Code
12/300	±0.006	12/300	0.984	0.087	0.079	1/32" and 0.5mm (front) 1/64" and 1mm (back)	7113-300A	283606

Rules

Steel – Rigid & Flexible



Dimensions (Inch)	Style	Graduations	Code
6 x 3/4 x 0.03	3R – Rigid	32nds, 64ths, 10ths, 50ths	820370
6 x 3/4 x 0.03	4R – Rigid	8ths, 16ths, 32nds, 64ths	820371
6 x 3/4 x 0.03	Inch/Metric – Rigid	32nds, 64ths, 1mm, 0.5mm	820372
12 x 1-1/8 x 0.04	4R – Rigid	8ths, 16ths, 32nds, 64ths	820376
18 x 1-1/8 x 0.04	4R – Rigid	8ths, 16ths, 32nds, 64ths	820378
18 x 3/4 x 0.02	4R – Flexible	8ths, 16ths, 32nds, 64ths	820358

Rules

Rigid



Front

Back

Dimensions (Inch)	Accuracy	Width x Thickness (Inch)	Graduations	INSIZE No.	Code
6	±0.003	0.748 x 0.39	1/64" and 1/32" on front, 1/8" on back	7126-6	877203
12	±0.004	0.984 x 0.039	1/64" and 1/32" on front, 1/8" on back	7126-12	877201
24	±0.006	1.102 x 0.047	1/64" and 1/32" on front, 1/8" on back	7126-24	877202