





### Fillet Welding Gage



- Measures concave and convex weld sizes
- 7 blades included
- Stainless steel

Size	Accuracy	INSIZE No.	Code
3mm, 4mm, 5mm, 6mm, 8mm, 9mm, 10mm, 11mm, 12mm, 14mm, 16mm, 19mm, 22mm, 25mm	±0.5mm	4836-1	877366
1/8" (3.2mm), 3/16" (4.8mm), 1/4" (6.4mm), 5/16" (7.9mm), 3/8" (9.5mm), 7/16" (11.1mm), 1/2" (12.7mm), 5/8" (15.9mm), 3/4" (19.1mm), 7/8" (22.2mm), 1" (25.4mm)	±0.02" (0.5mm)	4836-2	877171

### Pipe Welding Gage



- Adjustable scale to compensate pointer wear
- Stainless steel

Measurement	Range	Accuracy	Graduation	INSIZE No.	Code
Bevel on end preparation	37.5°	±1°	-		
Pipe wall thickness	0 to 1-3/4" (0-45mm)	±0.02"	1/16" (1mm)		
Internal misalignment	0 to 1-3/8" (0-35mm)	±0.02"	1/32" (1mm)		
Fit-up gap	1/16", 3/32"	±0.004"	-		
Crown height	0 to 1-3/8" (0-35mm)	±0.02"	1/32" (1mm)	4839-1	877032
Distance between two marking lines of socket weld	0 to 2-3/8" (0-60mm)	±0.02"	1/16" (1mm)		
Fillet weld length	0 to 1-1/4" (0-30mm)	±0.02"	1/16" (1mm)		
Fillet weld height	0 to 1-3/8" (0-35mm)	±0.02"	1/32" (1mm)		